







Boston Scientific

[illegible]

www.biotechscientific.com/warranty  
1-888-582-4000

WILLIAM H. HARRIS

100%  
 90%  
 80%  
 70%  
 60%  
 50%  
 40%  
 30%  
 20%  
 10%  
 0%

**Use of Medical Emergency  
Call Your Physician**

**At Home Computers**  
 1-800-333-3333  
 1-800-333-3333

**Frederick B. Weiss**  
1400 Macomber Avenue North  
St. Paul, MN 55114-1500  
Tel: 612/291-1000

Boston Scientific

Kontakt Deres længe,  
hvis der kommer en akut situation

1990

[illegible]

ACCOLADE", ACCOLADE" MRI,  
PROPONENT", PROPONENT" MRI,  
ESSENTIO", ESSENTIO" MRI,  
ALTRUA" 2,  
FORMIO", FORMIO" MRI,  
VITALIO", VITALIO" MRI,  
INGENIO", INGENIO" MRI,  
ADVANTIO", ADVANTIO" MRI

PAGE MAY 10

[illegible]


Boston  
Scientific

ENTIO™ SR  
L100

Pacemaker



IS-1  
UNUS/



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO



2015-01-29

SN 465221



CE0086



2017-01-10

LOT A15093

W 2008  
21008

Canada 313  
IC: 4794A-CRM12304



Boston Scientific  
1100 Hampshire Avenue North  
St. Paul, MN 55112-5798 USA



Guidant Europe NV/SA, Boston Scientific  
Globe Square, Lambertstraat 60  
1201 Drogenbos, Belgium

Made in Ireland 402 - 403 MP4

**Boston  
Scientific**

**ESSENTIO™ SR**

**REF L100**  
Pacemaker



**Pacemaker SR**

**en**

**Characteristics as shipped**

|                                                    |
|----------------------------------------------------|
| <b>Pacing Mode</b><br>Storage                      |
| <b>Pacing Therapy</b><br>SSIR                      |
| <b>Sensor</b><br>Blend (Accel and MV)              |
| <b>Magnet Rate</b><br>100 ppm (min <sup>-1</sup> ) |
| <b>Pace/Sense Configuration</b><br>RV: BI/BI       |

**Symbols that may be used on packaging**

|                                                                   |                                                                                                                                                                     |                  |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| Manufacturer                                                      | <b>SN</b> Serial number                                                                                                                                             | Uncoated device  |
| Date of manufacture                                               | <b>REF</b> Reference number                                                                                                                                         | MR Conditional   |
| Do not resterilize                                                | Temperature limitation                                                                                                                                              | Open here        |
| Do not use if package is damaged                                  | <b>LOT</b> Lot number                                                                                                                                               | CRT-P RA, RV, LV |
| Do not reuse                                                      | Place telemetry wand here                                                                                                                                           | Pacemaker RV     |
| Use by                                                            | <b>RF</b> RF Telemetry                                                                                                                                              | Pacemaker RA, RV |
| <b>EC REP</b> Authorized representative in the European Community |                                                                                                                                                                     |                  |
| <b>STERILE EO</b> Sterilized using ethylene oxide                 | Consult instructions for use on this website:<br><a href="http://www.bostonscientific-international.com/manuals">www.bostonscientific-international.com/manuals</a> |                  |

Refer to the System/Reference Guide for all programmable parameters and values.

If this container seal is broken, Boston Scientific will not accept contents for credit or restock.

Caution: Do not store near magnets or magnetic devices.



359215-001

1





Boston  
Scientific

**In Case of Medical Emergency  
Call Your Physician**

**24-Hour Consultation**  
Tel: +1 651 342 4000  
1.800.484.3708 (USA)

It found, please return the card to

**Boston Scientific**  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

**Guidant Europe NV/SA;**  
**Boston Scientific**  
Ginen Square, Lambertstraat 8D  
1033 Drogen, Belgium

00452-014 2018-07

Kontakt Deres læge,  
hvis der opstår en akut situation

Boston Scientific  
Technical Services  
Rådgivning dagligt funder  
Tel. +1 651.882.4000  
1 800 484 3706 (USA)

Boston Scientific  
4100 Eastern Avenue, Fifth  
Fl., Paid, N.Y. 10112-5700, U.S.A.

1. Project Title NY/BA  
 2. Project Number  
 3. Project Date  
 4. Project Location

2017-14 2014/05

**Boston,  
Scientific**

[illegible]

www.basiloncscientific.com/warranty  
+1-651-582-4000

359214-001 ML 2013-04

Boston  
Scientific


ERUA™ 2 SR

AS701

Pacemaker



IS-1  
UNI/BI



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO



2014-10-30

SN 100243



2016-10-16

LOT B14255



CE0086

N 20593  
Z 1098

Canada 310

Made in Ireland



Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

EC REP

Guidant Europe NV/SA; Boston Scientific  
Green Square, Lambroekstraat 5D  
1831 Diegem, Belgium

**Boston  
Scientific**

ALTRUA™ 2 SR

**REF S701**  
Pacemaker



**Pacemaker SR**

**en**

**Characteristics as shipped**

**Pacing Mode**  
Storage

**Pacing Therapy**  
SSIR

**Sensor**  
Blend (Accel and MV)

**Magnet Rate**  
100 ppm (min<sup>-1</sup>)

**Pace/Sense Configuration**  
RV: B/BI

**Symbols that may be used on packaging**

|                                                                   |                                                   |                                                                                                                                                                           |
|-------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Manufacturer</b>                                               | <b>SN</b> Serial number                           | <b>Unopened device</b>                                                                                                                                                    |
| <b>Date of manufacture</b>                                        | <b>REF</b> Reference number                       | <b>ISO Conditional</b>                                                                                                                                                    |
| <b>Do not resterilize</b>                                         | <b>Temperature limitation</b>                     | <b>Open here</b>                                                                                                                                                          |
| <b>Do not use if package is damaged</b>                           | <b>LOT</b> Lot number                             | <b>CRT-P RA, RV, LV</b>                                                                                                                                                   |
| <b>Do not reuse</b>                                               | <b>Place telemetry wand here</b>                  | <b>Pacemaker RV</b>                                                                                                                                                       |
| <b>Use by</b>                                                     | <b>RF Telemetry</b>                               | <b>Pacemaker RA, RV</b>                                                                                                                                                   |
| <b>EC REP</b> Authorized representative in the European Community | <b>STERILE EO</b> Sterilized using ethylene oxide | <b>Consult instructions for use on this website</b><br><a href="http://www.bostonscientific-international.com/manuals">www.bostonscientific-international.com/manuals</a> |

Refer to the System/Reference Guide for all programmable parameters and values.

If this container seal is broken, Boston Scientific will not accept contents for credit or restock.

Caution: Do not store near magnets or magnetic devices.

309215-001





**IS-1**  
(LINE)


**2014-10-30** **SM** 100243  
**2016-10-16** **LOT** B14255

**CE0086**  
N 3800  
Z 1000  
Class 01 370

**Boston Scientific**  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

**Green Square (Netherlands)**  
Green Square, Lambroekstraat 5D  
1831 Diergem, Belgium

**MADE IN GERMANY**



**Boston Scientific**

**Boston Scientific**

**In Case of Medical Emergency  
Call Your Physician**

**Boston Scientific** 24-Hour Consultation  
Technical Services Tel: +1 651 582 4000  
1 866 454 3258 (USA)

If found, please return this card to:

**Boston Scientific**  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

**Guidant Europe NV/SA**  
**Boston Scientific**  
Green Square, Lambroekstraat 5D  
1831 Diergem, Belgium  
359214-001

**Boston Scientific**

**V případě nářadového stavu  
volejte svého lékaře**

**Technická podpora** 24 — hodinové poradenství  
společnosti Tel: +1 651 582 4000  
**Boston Scientific** 1 866 454 3258 (USA)

V případě nálezů prosím vrátit tuto kartu na adresu:

**Boston Scientific**  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA


**Guidant Europe NV/SA**  
**Boston Scientific**  
Green Square, Lambroekstraat 5D  
1831 Diergem, Belgium  
359214-001

**Boston Scientific**

Warranty and forms information / Informações sobre garantia e formulários / Informaciones sobre garantía y formularios / Garantie- og blanketoplysninger / Informations sur la garantie et les formulaires / Garantie und Formulare / Πληροφορίες για την εγγύηση και τα έντυπα / Jotatellassak es útípolkai kapcsolatos információk / Informazioni sulla garanzia e sui moduli / 보증 및 형식 정보 / Informasyon om garanti og skjemaer / Informacje gwarancyjne i formularze / Informação de garantia e de formulários / Информация о гарантии и формах / Informácie o záruke a formulároch / Información sobre formularios y garantía / Information om garanti och formulär / Garanti ve form bilgileri

[www.bostonscientific.com/warranty](http://www.bostonscientific.com/warranty)  
+1-651-582-4000

359214-001 ML 2013-04



Boston  
Scientific


SENTIO™ MRI SR

REF L110

Pacemaker



IS-1  
UNI/BI



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO



2014-11-10

SN 101133



2016-10-26

LOT B14296



CE0086

N 20593  
Z 1088

Canada 310  
IC: 4794A-CRMU2284

Made in Ireland 402 - 405 MHz



Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

EC REP

Guidant Europe NV/SA, Boston Scientific  
Green Square, Lambroekstraat 5D  
1831 Diegem, Belgium

2016-10-26

101133

**Boston  
Scientific**

**ESSENTIO™ MRI SR**

**REF L110**  
Pacemaker



## Pacemaker SR

**on**

### Characteristics as shipped

|                                                    |
|----------------------------------------------------|
| <b>Pacing Mode</b><br>Storage                      |
| <b>Pacing Therapy</b><br>SSIR                      |
| <b>Sensor</b><br>Blend (Acr:ol and MV)             |
| <b>Magnet Rate</b><br>100 ppm (min <sup>-1</sup> ) |
| <b>Pace/Sense Configuration</b><br>RV, BVB1        |

### Symbols that may be used on packaging

MicroPacemaker  
 Date of manufacture  
 Do not restock  
 Do not use if package is damaged  
 Do not reuse  
 Use by  
 EC REP  
 STERILE  
 SN  
 REF  
 LVT  
 RF Telemetry  
 Unshielded device  
 MRI Conditional  
 Open heart  
 CRT-P RA, RV, LV  
 Pacemaker RV  
 Pacemaker RA, RV

Authorized representative in the European Community  
 Sterilized using ethylene oxide  
 Consult instructions for use on this website:  
[www.bostonscientific-international.com/mrsguide](http://www.bostonscientific-international.com/mrsguide)

Refer to the System/Reference Guide for all programmable parameters and values.  
 If this container seal is broken, Boston Scientific will not accept contents for credit or restock.  
 Caution: Do not store near magnets or magnetic devices.



309215-001



15077-002 EN EU



359224-001

Boston  
ScientificESSENTIO™ MRI SR  
Pacemaker

REF L110

SN 101133

IS-1  
UNIVBIBoston  
ScientificESSENTIO™ MRI SR  
Pacemaker

REF L110

SN 101133

IS-1  
UNIVBIBoston  
ScientificESSENTIO™ MRI SR  
Pacemaker

REF L110

SN 101133

IS-1  
UNIVBIBoston  
ScientificESSENTIO™ MRI SR  
Pacemaker

REF L110

SN 101133

IS-1  
UNIVBIESSENTIO™ MRI SR  
Pacemaker

REF L110

Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5796 USA  
Made in Ireland

EC REF

Guidant Europe NV/SA: Boston Scientific  
Green Square, Lambroekstraat 50  
1831 Diegem, BelgiumIS-1  
UNIVBI

2014-11-10

SN 101133

2016-10-26

LOT B14296


60L110-700

CE0086

(01) 0 0802526 57632 4  
(17) 161026 (21) 101133

Pacemaker SR  
Kardiostimulator SR  
Pacemaker SR  
Herzschrittmacher SR  
Szűréső SR  
Marcapace SR  
Stimulator SR  
Pacemaker SR  
Pacemaker SR  
Pacemaker SR  
Stimulator SR  
Pacemaker SR  
Kardiostimulator SR  
Pacemaker SR  
Marcapace para SR  
Card-Pac SR  
Kardiostimulator SR  
심박조율기 SR

Bioscience Resource Project: www.bioscience-resource.org  
359224-002



**Boston Scientific**  
**ESSENTIO™ MRI SR**  
**Pacemaker**

IS-1  
UNI/BI

2014-11-10  
2016-10-26

SN 101133  
LOT B14296

RF


CE0086

Canada 310  
IC: 4794A-CRMU2284

Made in Ireland 402 - 405 MHz

Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

Guidant Europe NV/SA, Boston Scientific  
Green Square, Lambroekstraat 50  
1831 Diegem, Belgium



**Boston Scientific**  
 4100 Hamline Avenue North  
 St. Paul, MN 55112-5798 USA

**EC REP**  
 Guidant Europe NV/SA, Boston Scientific  
 Green Square, Lambroekstraat 50  
 1831 Diegem, Belgium  
 www.bostonscientific.com  
 1 800 CAROLINE (227 3423)  
 +1 651 582 4000

For additional reference information go to  
[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)

**Boston Scientific**

**In Case of Medical Emergency  
 Call Your Physician**

Boston Scientific Technical Services 24-Hour Consultation  
 Tel: +1 651 582 4000  
 1 866 484 3268 (USA)

If found, please return this card to

**Boston Scientific**  
 4100 Hamline Avenue North  
 St. Paul, MN 55112-5798 USA

**Guidant Europe NV/SA;  
 Boston Scientific**  
 Green Square, Lambroekstraat 50  
 1831 Diegem, Belgium  
 356452 011 1011

**Boston Scientific**

**V případě naléhavého stavu  
 volejte svého lékaře**

Technická podpora: 24 — hodinové poradenství  
 společnost: Tel: +1 651 582 4000  
 Boston Scientific 1 866 484 3268 (USA)

V případě nálezů prosím vraťte tuto kartu na adresu:

**Boston Scientific**  
 4100 Hamline Avenue North  
 St. Paul, MN 55112-5798 USA

**Guidant Europe NV/SA;  
 Boston Scientific**  
 Green Square, Lambroekstraat 50  
 1831 Diegem, Belgium  
 356452 011 1011

**Boston Scientific**

Warranty and forms information / Informações sobre garantia e formulários / Informace o zaruce a formuláři / Garanti- og blanketoplysninger / Informatie over garantie en formulieren / Informations sur la garantie et les formulaires / Garantie und Formulare / Πληροφορίες για την εγγύηση και τα έντυπα / Jótállással és űrlapokkal kapcsolatos információk / Informazioni sulla garanzia e sui moduli / 보증 및 양식 정보 / Informasjon om garanti og skjemaer / Informacje gwarancyjne i formularze / Informação de garantia e de formulários / Информация о гарантии и формах / Informácie o zaruce a formulároch / Información sobre formularios y garantía / Information om garanti och formulär / Garanti ve form bilgileri

[www.bostonscientific.com/warranty](http://www.bostonscientific.com/warranty)  
 +1-651-582-4000

359214-001 ML 2013-04

**CE0086**

Announced 2011 (ACCOLADE, ACCOLADE MRI, PROPOSEMENT MRI, ESSENTIO MRI, VITALIO MRI, VITALIO MRI 2, 2013, FORMIO, FORMIO ADVANTIO MRI, 2011, INGENIO ADVANTIO)

© 2014 Boston Scientific Corporation or its affiliates.  
 All rights reserved.  
 359250-001 EN Europe 2014-05

**Boston  
Scientific**


**PROPONENT™ MRI SR**

**REF L210**

**Pacemaker**



IS-1  
UNI/BI



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO



2014-10-21

**SN**


100563



2016-10-02

**LOT**

B14219



**CE0086**

**N 20593  
Z 1088**

Canada 310  
IC 4794A-CRMU2284

Made in Ireland 402 - 405 MHz



Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

**BC** **REF**

Guidant Europe NV/SA; Boston Scientific  
Green Square, Lambroekstraat 6D  
1831 Diegem, Belgium

**Boston  
Scientific**

**PROPONENT™ MRI SR**

**REF L210**  
Pacemaker



## Pacemaker SR

en

### Characteristics as shipped

|                                                    |
|----------------------------------------------------|
| <b>Pacing Mode</b><br>Storage                      |
| <b>Pacing Therapy</b><br>SSIR                      |
| <b>Sensor</b><br>Blend (Accel and MV)              |
| <b>Magnet Rate</b><br>100 ppm (min <sup>-1</sup> ) |
| <b>Pace/Sense Configuration</b><br>RV: BI/BI       |

### Symbols that may be used on packaging

|                                                            |                                            |                                                                                                                                                                  |
|------------------------------------------------------------|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manufacturer                                               | SN Serial number                           | Uncoated device                                                                                                                                                  |
| Date of manufacture                                        | REF Reference number                       | MR Conditional                                                                                                                                                   |
| Do not resterilize                                         | Temperature limitation                     | Open here                                                                                                                                                        |
| Do not use if package is damaged                           | LOT Lot number                             | CRT-P RA, RV, LV                                                                                                                                                 |
| Do not reuse                                               | Place telemetry wand here                  | Pacemaker RV                                                                                                                                                     |
| Use by                                                     | RF Telemetry                               | Pacemaker RA, RV                                                                                                                                                 |
| EC REP Authorized representative in the European Community | STERILE EO Sterilized using ethylene oxide | Consult instructions for use on this website: <a href="http://www.bostonscientific-international.com/manuals">www.bostonscientific-international.com/manuals</a> |

Refer to the System/Reference Guide for all programmable parameters and values.

If this container seal is broken, Boston Scientific will not accept contents for credit or restock.

Caution: Do not store near magnets or magnetic devices.



359215-001

1



15984-002

EN EU



359224-001

Boston  
ScientificPROPONENT™ MRI  
SR Pacemaker

REF L210

SN 100563

IS-1  
UNI/BIBoston  
ScientificPROPONENT™ MRI  
SR Pacemaker

REF L210

SN 100563

IS-1  
UNI/BIBoston  
ScientificPROPONENT™ MRI  
SR Pacemaker

REF L210

SN 100563

IS-1  
UNI/BIBoston  
ScientificPROPONENT™ MRI  
SR Pacemaker

REF L210

SN 100563

IS-1  
UNI/BIPROPONENT™ MRI  
SR Pacemaker

REF L210



2014-10-21

2016-10-02

SN 100563

LOT B14219

60L210-700

Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA  
Made in IrelandGoldent Europe NV/SA, Boston Scientific  
Green Square, Lambrouksstraat 50  
1831 Drogen, Belgium

CE0086

(01) 0 0802526 57639 3  
(17) 161002 (21) 100563

Pacemaker SR  
Kardiosztimulátor SR  
Pacemaker SR  
Herzschrittmacher SR  
Bijzetschakel SR  
Marcapasso SR  
Stimulateur SR  
Pacemaker SR  
Pacemaker SR  
Pacemaker SR  
Stimulator SR  
Pacemaker SR  
Kardiosztimulátor SR  
Pacemaker SR  
Marcapasso para SR  
Kard Pili SR  
Kardiosztimulátor SR  
Kard Pili SR




STERILE EO



www.bostonscientific.com

359215-002



**Boston Scientific**

**PROPONENT™ MRI SR**  
REL210

Pacemaker



IS-1  
UNI/BI



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO



2014-10-21

SN

100563



2016-10-02

LOT

B14219



RF



MR

CE0086

Canada 310

IC: 4794A-CRMU2784

Made in Ireland 402 405 MHz



Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA



Guidant Europe NV/SA, Boston Scientific  
Green Square, Lambroekstraat 50  
1831 Diegem, Belgium



**Boston Scientific**

**Boston Scientific**

**In Case of Medical Emergency  
Call Your Physician**

Boston Scientific  
Technical Services

24-Hour Consultation  
Tel: +1 651 582 4000  
1 866 484 3298 (USA)

If found, please return this card to:

Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

Guidant Europe NV/SA;  
Boston Scientific  
Green Square, Lambroekstraat 50  
1831 Diegem, Belgium  
350452-014 2014-02

**Boston Scientific**

**Kontakt Deres læge,  
hvis der opstår en akut situation**

Boston Scientific  
Technical Services

24-timers konsultation  
Tlf: +1 651 582 4000  
1 866 484 3298 (USA)

If found, please return this card to:

Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA

Guidant Europe NV/SA;  
Boston Scientific  
Green Square, Lambroekstraat 50  
1831 Diegem, Belgium  
350452-014 2014-02

**Boston Scientific**

Warranty and forms information / Informações sobre garantia e formulários / Informace o záruce a formulář / Garanti- og blanketoplysninger / Informatie over garantie en formulieren / Informations sur la garantie et les formulaires / Garantie und Formulare / Πληροφορίες για την εγγύηση και τα έντυπα / Jótállással és űrlapokkal kapcsolatos információk / Informazioni sulla garanzia e sui moduli / 보증 및 영식 정보 / Informasjon om garanti og skjemaer / Informacje gwarancyjne i formularze / Informação de garantia e de formulários / Информация о гарантии и формах / Informácie o záruke a formulároch / Información sobre formularios y garantía / Information om garanti och formulär / Garanti ve form bilgileri

[www.bostonscientific.com/warranty](http://www.bostonscientific.com/warranty)  
+1-651-582-4000

359214-001 ML 2013-04

PHYSICIAN'S TECHNICAL MANUAL  
ACCOLADE™ ACCOLADE™ MRI  
PROPONENT™ PROPONENT™ MRI  
ESSENTIO™ ESSENTIO™ MRI  
ALTRUA™ 2,  
FORMIO™ FORMIO™ MRI,  
VITALIO™ VITALIO™ MRI,  
INGENIO™ INGENIO™ MRI  
ADVANTIO™ ADVANTIO™ MRI  
PACEMAKER  
REF: L300, L301, L302, L303, L304, L305, L306, L307, L308, L309, L310, L311, L312, L313, L314, L315, L316, L317, L318, L319, L320, L321, L322, L323, L324, L325, L326, L327, L328, L329, L330, L331, L332, L333, L334, L335, L336, L337, L338, L339, L340, L341, L342, L343, L344, L345, L346, L347, L348, L349, L350, L351, L352, L353, L354, L355, L356, L357, L358, L359, L360, L361, L362, L363, L364, L365, L366, L367, L368, L369, L370, L371, L372, L373, L374, L375, L376, L377, L378, L379, L380, L381, L382, L383, L384, L385, L386, L387, L388, L389, L390, L391, L392, L393, L394, L395, L396, L397, L398, L399, L400

**Boston  
Scientific**



**COLADE™ MRI SR**

**REF L310**

**Pacemaker**



IS-1  
UNI/BI



[www.bostonscientific-international.com/manuals](http://www.bostonscientific-international.com/manuals)



STERILE EO




2015-01-07

**SN** 101955



2016-12-11

**LOT** A15010



**CE0086**

**N 20593  
Z 1088**

Canada 310  
IC: 4794A-GRMU2284

Made in Ireland 402 - 405 MHz



Boston Scientific  
4100 Hamline Avenue North  
St. Paul, MN 55112-5798 USA



Guidant Europe NV/SA; Boston Scientific  
Green Square, Lambroekstraat 5D  
1831 Diegem, Belgium

**Boston  
Scientific**

**ACCOLADE™ MRI SR**

**REF L310  
Pacemaker**



## Pacemaker SR

en

### Characteristics as shipped

|                                                    |
|----------------------------------------------------|
| <b>Pacing Mode</b><br>Storage                      |
| <b>Pacing Therapy</b><br>SSIR                      |
| <b>Sensor</b><br>Blend (Accel and MV)              |
| <b>Magnet Rate</b><br>100 ppm (min <sup>-1</sup> ) |
| <b>Pace/Sense Configuration</b><br>RV: BI/BI       |

### Symbols that may be used on packaging

|                                                            |                                                                                                                                                                     |                  |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| Manufacturer                                               | SN Serial number                                                                                                                                                    | Uncoated device  |
| Date of manufacture                                        | REF Reference number                                                                                                                                                | MR Conditional   |
| Do not resterilize                                         | Temperature limitation                                                                                                                                              | Open here        |
| Do not use if package is damaged                           | LOT Lot number                                                                                                                                                      | CRT-P RA, RV, LV |
| Do not reuse                                               | Place telemetry lead here                                                                                                                                           | Pacemaker RV     |
| Use by                                                     | RF Telemetry                                                                                                                                                        | Pacemaker RA, RV |
| EG REP Authorized representative in the European Community |                                                                                                                                                                     |                  |
| STERILE EO Sterilized using ethylene oxide                 | Consult instructions for use on this website:<br><a href="http://www.bostonscientific-international.com/manuals">www.bostonscientific-international.com/manuals</a> |                  |

Refer to the System/Reference Guide for all programmable parameters and values.

If this container seal is broken, Boston Scientific will not accept contents for credit or restock.

Caution: Do not store near magnets or magnetic devices.



359215-001

1