

RIDASCREEN® Candida IgG

CE

	For <i>in vitro</i> diagnostic use
	Consult instructions for use!
LOT	Lot-No.: 03518
	Expiry: 2010-08
	Store at: 2 - 8 °C
REF	Art. No.: K 9021
	Tests: 96
	Date of manufacture: 2008-12

Enzyme immunoassay for the detection of IgG antibodies against *Candida albicans* in serum

Contents:

1 x Microwell Plate	(96 wells)
1 x Wash buffer	(100 ml)
1 x Sample buffer	(110 ml)
1 x Standard control IgG	(2.5 ml)
1 x Negative control IgG	(1.2 ml)
1 x Anti-human IgG conjugate HD	(12 ml)
1 x Substrate	(12 ml)
1 x Stop reagent	(12 ml)

Caution! Reagents contain Thimerosal and Bronidox-L (consult instructions for use)






R-Biopharm AG
Landwehrstr. 54, 64293 Darmstadt, Germany
K90210105

r-biopharm



r-biopharm
www.r-biopharm.com





RIDASCREEN® Parvovirus B19 IgM


☒	For in vitro diagnostic use
☒	Consult instructions for use!
☒	Lot No.: 020/79
☒	Expiry: 2010-09
☒	Store at: 2 - 8 °C
☒	Art. No.: K 8031
☒	Tests: 96
☒	Date of manufacture: 2009-02

C E

Enzyme immunoassay for the detection of IgM antibodies against Parvovirus B19 in serum

Contents:
 1 x Microtiter plate
 1 x Wash buffer
 1 x Sample buffer
 1 x Standard control IgM
 1 x Negative control IgM
 1 x Anti-human IgM conjugate LD
 1 x Stop reagent
 Caution! Reagents contain Thimerosal and Bronidox-L.
 (Consult instructions for use)

R-biopharm AG
 Landshuter Str. 54, 64723 Darmstadt, Germany
 06031703



R-biopharm AG
 www.r-biopharm.com

RIDASCREEN® Parvovirus B19 IgG

☒ NEP for in vitro diagnostic use	
☒ LOT	Lot No.: 02318
☒ EXP	Expiry: 2010-04
☒ STC	Store at: 2 - 8 °C
☒ REF	Ref. No.: K 6021
☒ TESTS	96
☒ DATE	Date of manufacture: 2008-12

Enzyme immunoassay for the detection of IgG antibodies against Parvovirus B19 in serum


CE

Contents:

- 1 x Microtiter plate
- 1 x Wash buffer
- 1 x Sample buffer
- 1 x Standard control IgG
- 1 x Negative control IgG
- 1 x Anti-human IgG conjugate LD
- 1 x Stop reagent

Caution: Reagents contain Thimerosal and Bronitox-L (consult instructions for use)

(500 wells)
(1000 ml)
(2.5 ml)
(12 ml)
(12 ml)
(12 ml)



f-biopharm AG
Landshauptstr. 34, 64293 Darmstadt, Germany
K0270702

f-biopharm
www.f-biopharm.com

RIDASCREEN® Trichinella IgG

CE

Enzyme immunoassay for the detection of IgG antibodies against Trichinella spiralis in serum

For in vitro diagnostic use	
Consult instructions for use!	
Lot No.	04358
Expiry:	2010-01
Store at:	2 - 8 °C
Art. No.:	K 7521
Tests:	96
Date of manufacture	2006-08

Contents

- 1 x Microwell plate
- 1 x Sample buffer
- 1 x Wash buffer
- 1 x Positive control
- 1 x Negative control
- 1 x Conjugate
- 1 x Substrate
- 1 x Chromogen
- 1 x Stop reagent

(96 wells)
(100 ml)
(50 ml)
(1.2 ml)
(2.5 ml)
(1.2 ml)
(6 ml)
(6 ml)

f-biopharm



f-biopharm AG
Landsbergstr. 54, 44293 Dortmund, Germany
K0270102

f-biopharm
www.f-biopharm.com

RIDASCREEN® Leishmania Ab

For *in vitro* diagnostic use

☒	1/3	Consult instructions for use!
☒	Lot No.:	04228
☒	Expiry:	2010-01
☒	Store at:	2 - 8 °C
☒	Art. No.:	K 7121
☒	Tests	98
☒	Date of manufacture	2008-05

Enzyme immunoassay for the detection of antibodies against *Leishmania* spp. in serum

CE

- Contents:
- 1 x Microwell plate
 - 1 x Stop buffer
 - 1 x Wash buffer
 - 1 x Positive control
 - 1 x Negative control
 - 1 x Conjugate
 - 1 x Substrate
 - 1 x Stop reagent

- (96 wells)
- (100 ml)
- (100 ml)
- (2.5 ml)
- (1.2 ml)
- (6 ml)
- (6 ml)
- (6 ml)



r-biopharm AG
Ludwigstr. 54, 64293 Darmstadt, Germany
K 712 1012

r-biopharm



r-biopharm
www.r-biopharm.com

RIDASCREEN® Candida IgA

CE

Enzyme immunoassay for the detection of IgA antibodies against *Candida albicans* in serum

	For in vitro diagnostic use
	Consult instructions for use
	Lot No.: 05508
	Expiry: 2010-09
	Store at: 2 - 8 °C
	Art. No.: K 9011
	Tests: 86
	Date of manufacture: 2008-12

Contents:

- 1 x Microwell Plate (96 wells)
- 1 x Wash buffer (100 ml)
- 1 x Sample dilution buffer (20 ml)
- 1 x Stop solution (2.5 ml)
- 1 x Negative control IgA (1.2 ml)
- 1 x Anti-*Aspergillus* IgA conjugate (ED) (1.2 ml)
- 1 x Substrate (12 ml)
- 1 x Stop reagent (12 ml)

Cautions! Reagents contain Thimerosal and Bovine Serum Albumin (BSA).
(Consult instructions for use)



r-biopharm

R-Biopharm AG
Landwehrstr. 54, 64293 Darmstadt, Germany
#001 10/108

r-biopharm
www.r-biopharm.com



