



8141-30-106	6 Hole	Right	179.4 mm
8141-30-109	9 Hole	Right	233.5 mm
8141-30-112	12 Hole	Right	287.6 mm
8141-30-115*	15 Hole	Right	341.7 mm
8141-30-118*	18 Hole	Right	395.8 mm
8141-31-106	6 Hole	Left	179.4 mm
8141-31-109	9 Hole	Left	233.5 mm
8141-31-112	12 Hole	Left	287.6 mm
8141-31-115*	15 Hole	Left	341.7 mm
8141-31-118*	18 Hole	Left	395.8 mm

*Special order



8.0 mm Cannulated Cancellous Screws
25, 35, 50-90 mm in 5 mm increments, 2 ea.




Femoral Connecting Screw, 2 ea.

Femoral Handle

12 Hole Femoral Target Guide

Intra-operative Femoral Template

Femoral Bone Clamp



3.2 mm Guide Pin Depth Gauge

5.0 mm Cannulated Screwdriver, 2 ea.



5.5 mm Cannulated Drill Bit, 2 ea.

3.2 mm Pin Guide

3.2 mm Guide Pin, 2 ea.

18 Hole Femoral Target Guide

Cannulated T-handle



Femoral Case



Anchor Bolt, 3 ea.

Percutaneous Trocar, 2 ea.

Percutaneous Sheath, 2 ea.

3.8 mm Threaded Drill Guide, 3 ea.

3.8 mm Calibrated Drill Bit, 2 ea.

4.5 mm Locking Cortical Tap, 2 ea.


3.2 mm Calibrated Drill Bit, 2 ea.

4.5 mm Non-locking Cortical Tap, 2 ea.

4.5 mm Drill Bit, 2 ea.

4.5 mm Percutaneous Drill Guide

Universal Depth Gauge



Anchor Bolt Nut, 3 ea.


Hudson T-handle

1.6 mm K-wires, 6 in, 12 ea.

3.5 mm Hex Extractor, Long, 2 ea.

3.5 mm Hex Extractor, 2 ea.

2.5 mm Hex Extractor, 2 ea.



4.5 Nm Torque-limiting Screwdriver


Ratchet Screwdriver Handle

Percutaneous Screwdriver Shank, 2 ea.

Large Fragment Screwdriver Shank, 2 ea.

5.5 mm Cancellous Locking Screws
25-100 mm, 4 ea.

5.5 mm Cancellous Non-locking Screws
40, 45 mm, 2 ea.
60-100 mm, 4 ea.



X-large Pa.R.I. Tong (optional)

4.5 mm Cortical Locking Screws
8-16 mm in 2 mm increments, 6 ea.
20 mm, 6 ea.
26-42 mm in 2 mm increments, 6 ea.
45-60 mm in 5 mm increments, 6 ea.

