





44-38861-100



Pharmaceuticals - Claxaph




Wapnoscie
czerwonej







Нуссгард 00 мм
Торговая Доч.
Белая Система
Иммуноба



стандартизированное
Торговая Доч.
Белая Система
Иммуноба






кабель электропитания
 "Технический центр
 Спецтех. Служба"
 Шмелева




кабель с датчиком
 "Технический центр
 Спецтех. Служба"
 Шмелева





Насадка для измерения новопаразваний
и скелетных востановительных элементов
в полости зуба под углом 45




Насадка для измерения новопаразваний
и скелетных востановительных элементов
в полости зуба под углом 45






Венчик для измерения



Венчик для измерения






Соединительный кабель

Торговый Дом
Белый Дукат

Иванов




Манипулятор измерительный грузовой

Торговый Дом
Белый Дукат

Иванов

Сенсори аппаратуры
Д.И.Мухомов





АУДИО
1007000-000



Д.И.Мухомов









Всесоюзный научно-исследовательский институт метрологии

ГОСУДАРСТВЕННЫЙ СТАНДАРТ
СИСТЕМА СИСТЕМ
СИСТЕМА СИСТЕМ



Металлическая деталь для измерения

ГОСУДАРСТВЕННЫЙ СТАНДАРТ
СИСТЕМА СИСТЕМ
СИСТЕМА СИСТЕМ



Смешиватель фракционный с электроприводом
ручной. Зарядное устройство





Устройство для проверки и измерения
мощности электродов и электродов.



CAUTION
CLASS 4 INVISIBLE AND CLASS 3R
VISIBLE LASER RADIATION WHEN OPEN
AVOID EYE OR SKIN EXPOSURE TO
DIRECT OR SCATTERED RADIATION

VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO
DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT
Wavelength : 10,600nm, Max. output : 40W
Max. Pulse Duration : Continue
Aiming beam Max. output at 650nm : < 5mW
IEC 60825-1:2007





FRACTIONAL CO₂ LASER



Product Name		CO ₂ FRACTIONAL LASER	
REF		DERMAXEL	
		AMI Inc. RM.1412, SJ Techno Ville, 278, Beotkkot-ro, Geumcheon-gu, Seoul, Korea Homepage : http://www.amimed.co.kr	
SN		ADSL100095	Weight 60 kg
		2017.10.25	Quantity 1 SET
Read the User's Manual			
Protection type and level			
Power Supply		220-240V	400 VA
EC REP		OBELIS BD. GmbH	
AMI			



Product Name		CO2 FRACTIONAL LASER	
REF	DERMAXEL		
Model	DERMAXEL		
Serial No.	AD817100093		
Power Supply	220-240V~ 50/60Hz		
Production Date	2017.10.23		
Production Type	Standard		
Power Supply	220-240V~ 50/60Hz		
Production Date	2017.10.23		
Production Type	Standard		

