

ФОТОГРАФИЧЕСКИЕ ИЗОБРАЖЕНИЯ

Медицинского изделия

Материал контрольный для контроля качества определения цистатина С на анализаторах биохимических серии BS (Cystatin C Control)

«УТВЕРЖДАЮ»

Генеральный директор

ООО «Миндрей Медикал Рус»



Чэнь Син

М.П.

по доверенности от 20.08.20г
СЫСОВА Н.В.

Cystatin C Control

mindray

P/N: 105-004651-00


REF MQ(CysCII)281

LOT 059020003

 2021-09-30

L:3×1 mL

H:3×1 mL



BWK059020003X00007


Контроль цистатина C
Controlo Cistatina C
Control cistatina C
Controllo Cistatina C
Cystatin C Kontrollü



IVD



CONTROL



Protect from light



SHENZHEN MINDRAY BIO-MEDICAL ELECTRONICS CO., LTD.
Mindray Building, Keji 12th Road South, Hi-tech Industrial Park,
Nanshan, Shenzhen, 518057 P.R. China

EC REP

Shanghai International Holding Corp. GmbH(Europe)
Eiffestraße 80, 20537 Hamburg, Germany

1. Инструкция : в комплекте с датчиком
 2. Инструкция : в комплекте с датчиком
 3. Инструкция : в комплекте с датчиком

mindray Cystatin C Control

Package size
 1. 3x1 ml; 3x1 ml;
Intended use
 Cystatin C Control is used in cystatin C (CysC) assays to control the accuracy and precision of laboratory assays. Mindray BB measurement system and test ability of control laboratory.

Summary
 The quality of Cystatin C Control is cystatin C. Mindray BB measurement system and test ability of control laboratory.

Components
 Cystatin C Control is a liquid control based on cystatin C solution. The concentration of the control components are lot-specific.

Warnings and Precautions
 1. For in vitro diagnostic use only.
 2. Cystatin C Control is a liquid control based on cystatin C solution. The concentration of the control components are lot-specific.
 3. Do not use Cystatin C Control if the container is damaged or the solution is cloudy.
 4. Do not use Cystatin C Control if the expiration date has expired.
 5. Do not use Cystatin C Control if the lot number is not the same as the label.
 6. Do not use Cystatin C Control if the solution is not at room temperature.
 7. Do not use Cystatin C Control if the solution is not at room temperature.
 8. Do not use Cystatin C Control if the solution is not at room temperature.

Cystatin C Control

mindray

P/N: 105-004631-00
 MQ(CysC)281
 05902003
 2021-09-30
 1.3x1 ml
 3x1 ml

KONTROLNÝ LÍŠTOK C
 Kontrola Cystatinu C
 Control Cystatin C
 Controllo Cystatinu C
 Cystatin C Kontroll

SHANGHAI MINDRAY MEDICAL ELECTRONICS CO., LTD.
 Mindray Building, No. 1200 Road South, Hi-Tech Industrial Park,
 Nanshan District, Shenzhen 518057 P.R. China
 Shanghai International Trading Corp. (Europe)
 Elstorfstrasse 25, 20037 Hamburg, Germany



