






WANTAI Pharm ∇ 10



WANTAI SARS-COV-2

Ag Rapid Test (Colloidal Gold)

(Anterior Nasal Swab & Saliva)



Test components :




- | | |
|-----------------------------|--------------------------|
| 1 × Test Cassette | 1 × Plastic Sealable Bag |
| 1 × Extraction Vial (0.5mL) | 1 × Instructions For Use |
| 1 × Disposable Sterile Swab | 1 × Operation Guide |
- CE MDD 93-42/EC

REF WJ-2901

WANTAI SARS-COV-2
Ag Rapid Test (Colloidal Gold)
(Anterior Nasal Swab & Saliva)

LOT JNR20210801
2022-11-05









WANTAI SARS-CoV-2 Ag Rapid Test(Colloidal Gold)

Lateral flow immunochromatographic assay intended for qualitative detection of SARS-CoV-2 nucleocapsid antigen in anterior nasal swab and saliva specimens

Components	Format
TEST CASSETTE	= 10
EXTRACTION VIAL	= 10 - 0.5ml
DISPOSABLE STERILE SWAB	= 10
PLASTIC SEALABLE BAG	= 10
INSTRUCTION FOR USE	= 1
OPERATION GUIDE	= 1



Σ 10



EC REP

Qarad BV
Capestraat 3,
B-2440 Geel, Belgium

REP

WJ-2910

Beijing WANTAI Biological Pharmacy Enterprise Co., Ltd.


No.31 Kexueyuan Road, Changping, Beijing 102206
China Tel: +86 10 59525888 Fax: +86 10 69705849
www.yshet.com

LOT

JNR20210801



2022-11-05





Wantai SARS-CoV-2 Diagnostics

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Rapid Test for Detection of SARS-CoV-2 Antigen

For anterior nasal swab and saliva specimens

INSTRUCTIONS FOR USE

REF WJ-2901

INTENDED USE

The WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold) is a lateral flow immunochromatographic assay intended for qualitative detection of SARS-CoV-2 nucleocapsid antigen in anterior nasal swab and saliva specimens.

SARS-CoV-2 antigen is generally detectable in upper respiratory specimens during the acute phase of infection. Positive results indicate the presence of viral antigens, but clinical correlation with patient's history and other diagnostic information is necessary to determine infection status. Positive results do not rule out bacterial infection.

WANTAI

Набор реагентов для иммунохроматографического выявления антигена SARS-CoV-2 на основе коллоидного золота в образцах мазков из носа и слюне человека «WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)», лот JNR20210801

Состав

- 1 x тест-кассета
- 1 x пробирка с буферным раствором для экстракции (0,5 мл)
- 1 x пакет полистироловый с замком зип-лок
- 1 x стерильный зонд-тампон для взятия образцов
- 1 x инструкция по применению
- 1 x краткое руководство пользователя

CE MDD 93/42/EC Per. №

REF WJ-2901

CITOSWAB® COLLECTION SWAB

0.5 ml

CE (MD)

WANTAI

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

CE

Beijing WANTAI Biological Pharmacy Enterprise Co., Ltd.

No. 31 Kexueyuan Road, Changping District, Beijing 102206, China

Tel: +86 10 59528888 Fax: +86 10 89705843

Website: www.ystwt.com





Beijing WANTAI Biological Pharmacy Enterprise Co., Ltd.

No.31 Kexueyuan Road, Changping District, Beijing 102206, China

Tel: +86 10 59528888 | Fax: +86 10 89705849 | Web: www.ystwt.com




European Representative: Qarad BV, Cipastraat 3, 2440 Geel, Belgium

Scan me for
operation video!



6 4970301 451808





LOT: JNR20210801
MFG: 2021-05-06
EXP: 2022-11-05



hl



CE 0197

STERILE R

STERILE UNLESS PACKAGE
OPENED OR DAMAGED

2103147

20609027

202403

2123-1003

LOT



REF




CITOSWAB®

COLLECTION SWAB

NYLON



CITOTEST LABWARE MANUFACTURING CO., LTD
No. 339 Beihai West Road, Haimen, 226100 Jiangsu, P.R. China
www.citotest.com



Wellkang Ltd
Enterprise Hub, NW Business
Complex, 1 Beraghmore Rd.,
Derry, BT48 8SE, Northern Ireland

MADE IN CHINA
4090100570

Extraction Vial 0.5mL

LOT JNR20210801

CE IVD



2022-11-05

20-30°C

Extraction Vial 0.5mL

LOT JNR20210801

CE IVD



2022-11-05

20-30°C



Extraction Vial 0.5mL

LOT JNR20210801

CE IVD

2022-11-05

20-30°C

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.

4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.

4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.

4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.

4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.

4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.

WANTAI SARS-CoV-2 Ag Rapid Test (Colloidal Gold)

Navodil k použití

Figures

- 1. Read the instructions carefully before use.
- 2. Prepare the sample according to the instructions.
- 3. Insert the test strip into the device.
- 4. Wait for the result.
- 5. Read the result.

Step 1: Preparation

1.1. Preparation of the sample: Mix the sample with the buffer solution.

1.2. Preparation of the control solution: Mix the control solution with the buffer solution.

Step 2: Insertion

2.1. Insert the test strip into the device.

2.2. Insert the control solution into the device.

Step 3: Reading

3.1. Read the result after 15 minutes.

3.2. Read the result after 30 minutes.

Step 4: Interpretation

4.1. Positive result: Two lines appear.


4.2. Negative result: One line appears.

4.3. Invalid result: No line appears.





**WANTAI SARS-CoV-2 Ag Rapid Test
(Colloidal Gold)**




Beijing WANTAI Biological Pharmacy Enterprise Co., Ltd.
No. 31 Kexueyuan Road, Changping District, Beijing 102206, China
Tel: +86 10 59528888 Fax: +86 10 89705849
Website: www.ystwt.com



22

LOT : JNR20210301
EXP : 2022-09-14





Пронумеровано, прошито и скреплено

Печатью 24 листов,

Директор ООО «Космофарм»

 Чернявская Т.А.

