

Общество с ограниченной ответственностью «НАТАНА ГРУПП»

107031, г. Москва, ул. Кузнецкий Мост, д. 21/5, пом. II, комн. 21 e-mail: natana171@rambler.ru

ИНН/КПП 7706669928/770201001 ОГРН 1077760327589 р/с 40702810700040140933

в АКБ «РОСЕВРОБАНК» (АО)

БИК 044525836 к/с 30101810445250000836

Тел. (495) 788-74-97, 223-34-36, Факс 223-34-36




«26» июня 2022 г.

ФОТОГРАФИЧЕСКИЕ ИЗОБРАЖЕНИЯ МЕДИЦИНСКОГО ИЗДЕЛИЯ

«Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая» в вариантах исполнения
производства компании Zhejiang Runqiang Medical Instruments Co.,
Ltd. (Чжэцзян Рунцянь Медикал Инструментс Ко., Лтд.), Китайская
Народная Республика

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью без болюса, объём
275 мл, скорость инфузии 20 мл/ч, тип CBI-CX, REF 83612, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью без болюса, объём
275 мл, скорость инфузии 20 мл/ч, тип CBI-CX, REF 83612, LOT 20180915
(стерильная упаковка)


Disposable infusion pump

Nominal volume: 275mL
Nominal flow rate: 20.0mL/hr
Residual volume: <10%

- *This product is used for continuance minin infusion during clinical treatment.
- *Please read the instruction before use,for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place,and protection against moisture.
- *Before adl medicine,please infuse the physiological brine needed for dilute the medicine,then add the medicine,for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product,do not over infuse,or it will effect the cure purpose.



STERILE EO



Type:CBI-CX



83612



15-08-2013



20180915



15-08-2023



Zhejiang Runqiang Medical Instruments Co., Ltd.
No.418 Dade Road, Jiaxing Xixia District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-85037135

Fax: +86-573-88110618



Shanghai International Holding Corp.GmbH (Europe)

Bilfingerstrasse 39, 20537 Hamburg, GERMANY

Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью без болюса, объём
60 мл, скорость инфузии 2 мл/ч, тип CBI-CX, REF 84012, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью без болюса, объём
60 мл, скорость инфузии 2 мл/ч, тип CBI-CX, REF 84012, LOT 20180915
(стерильная упаковка)

Disposable infusion pump

Nominal volume: 60mL

Nominal flow rate: 2.0mL/hr

Residual volume: <10%

- *This product is used for continuance minim infusion during clinical treatment.
- *Please read the instruction before use, for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place, and protection against moisture.
- *Before add medicine, please infuse the physiological brine needed for dilute the medicine, then add the medicine, for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product, do not over infuse, or it will effect the cure purpose.



STERILE EO



CE 0123

Type: CBI-CX

REF 84012



15-08-2018

LOT 20180915



15-08-2023



Zhejiang Ruqiang Medical Instruments Co., Ltd.
No.618 Dule Road, Juxing Xuzhou District Juxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037133

Fax: +86-573-88118618



Shanghai International Holding Corp. GmbH (Europe)
Hoffstrasse 80, 20537 Hamburg, GERMANY
Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

**Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУППІ стерильная
одноразовая, непрерывная инфузия с постоянной скоростью и болюсом, объем
275 мл, скорость инфузии 20 мл/ч, объем болюса 0,5 мл, отсрочка болюса 15 мин,
тип CBI-CZ, REF 83621, LOT 20180915**



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью и болюсом, объём
275 мл, скорость инфузии 20 мл/ч, объём болюса 0,5 мл, отсрочка болюса 15 мин,
тип CBI-CZ, REF 83621, LOT 20180915 (стерильная упаковка)

Disposable infusion pump

Nominal volume: 275mL
Nominal flow rate: 20.0mL/hr
Residual volume: <10%

Bolus: 0.5mL/time/15min
*This product is used for continuance minim
infusion during clinical treatment.
*Please read the instruction before use, for
make sure patients security.

*The period of validity for sterilization is
two years.

*Do not use it if the package is damaged.

*Please stock the product in Shade and cool,
dry and air place, and protection against
moisture.

*Before add medicine, please infuse the
physiological brine needed for dilute the
medicine, then add the medicine, for fear
the un-diluted medicine flow into the pump
pipeline.

*Please infuse the stated dosage when use
this product, do not over infuse, or it will
effect the cure purpose.



STERILE/EO



CE 0123

Type: CBI-CZ

REF 83621



15-08-2018

LOT 20180915



15-08-2023



Zhejiang Runqiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiuzhou District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037135

Fax: +86-573-88110618



Shanghai International Holding Corp.GmbH (Europe)
Eiffestrasse 80, 20537 Hamburg, GERMANY
Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с постоянной скоростью и болюсом, объём
60 мл, скорость инфузии 2 мл/ч, объём болюса 0,5 мл, отсрочка болюса 15 мин,
тип CBI-CZ, REF 84021, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУППІ стерильная
одноразовая, непрерывная инфузия с постоянной скоростью и болюсом, объём
60 мл, скорость инфузии 2 мл/ч, объём болюса 0,5 мл, отсрочка болюса 15 мин,
тип CBI-CZ, REF 84021, LOT 20180915

Disposable infusion pump

Nominal volume: 60mL
Nominal flow rate: 2.0mL/hr
Residual volume: <10%
Bolus: 0.5mL/time/15min

- *This product is used for continuance minim infusion during clinical treatment.
- *Please read the instruction before use, for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place, and protection against moisture.
- *Before add medicine, please infuse the physiological brine needed for dilute the medicine, then add the medicine, for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product, do not over infuse, or it will effect the cure purpose.



STERILE EO



CE 0123

Type: CBI-CZ

REF 84021



15-08-2018

LOT 20180915



15-08-2023



Zhejiang Runqiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiuzhou District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037135

Fax: +86-573-88110618



Shanghai International Holding Corp. GmbH (Europe)
Eiffestrasse 80, 20537 Hamburg, GERMANY
Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 275 мл,
скорость инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CX,
REF 83852, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 275 мл,
скорость инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CX, REF 83852,
LOT 20180915 (стерильная упаковка)

Disposable infusion pump

Nominal volume: 275mL
Nominal flow rate: 0-5-10-15-20-25-30-35mL/hr

Residual volume: <10%
Bolus: 0.5mL/time/15min

- *This product is used for continuance minim infusion during clinical treatment.
- *Please read the instruction before use, for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place, and protection against moisture.
- *Before add medicine, please infuse the physiological brine needed for dilute the medicine, then add the medicine, for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product, do not over infuse, or it will effect the cure purpose.



STERILE EO



CE 0123

Type: CBI-CX

REF 83852



15-08-2018

LOT 20180915



15-08-2023

Zhejiang Rungiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiuzhou District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037135

Fax: +86-573-88110618



Shanghai International Holding Corp.GmbH (Europe)

Eiffelstrasse 80, 20537 Hamburg, GERMANY

Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 60 мл, скорость
инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CX, REF 84852, LOT 2018091



Помпа инфузионная эластомерная НАТАНА ГРУППІ стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 60 мл,
скорость инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CX, REF 84852,
LOT 20180915 (стерильная упаковка)

Disposable infusion pump

Nominal volume: 60mL

Nominal flow rate: 0-5-10-15-20-25-30-35mL/hr

Residual volume: <10%

~~Bohus: 0.5mL/time/15min~~

- *This product is used for continuance minim infusion during clinical treatment.
- *Please read the instruction before use, for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place, and protection against moisture.
- *Before add medicine, please infuse the physiological brine needed for dilute the medicine, then add the medicine, for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product, do not over infuse, or it will effect the cure purpose.



STERILE EO



CE 0123

Type: CBI-CX



84852



15-08-2018



20180915



15-08-2023



Zhejiang Runqiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiuzhou District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037135

Fax: +86-573-88110618



Shanghai International Holding Corp.GmbH (Europe)
Eiffestrasse 80, 20537 Hamburg, GERMANY
Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объём 275 мл, скорость
инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CZ, REF 83853, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 275 мл,
скорость инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CZ,
REF 83853, LOT 20180915 (стерильная упаковка)

Disposable infusion pump
Nominal volume: 275mL
Nominal flow rate: 0-5-10-15-20-25-30-35mL/hr
Residual volume: <10%
Bolus: 0.5mL/time/15min
*This product is used for continuance minim
infusion during clinical treatment.
*Please read the instruction before use,for
make sure patients security.
*The period of validity for sterilization is
two years.
*Do not use it if the package is damaged.
*Please stock the product in Shade and cool,
dry and air place,and protection against
moisture.
*Before add medicine,please infuse the
physiological brine needed for dilute the
medicine,then add the medicine,for fear
the un-diluted medicine flow into the pump
pipeline.
*Please infuse the stated dosage when use
this product,do not over infuse,or it will
effect the cure purpose.

① **STERILE EO** ② **CE** 0123

Type: CBI-CZ

REF 83853 **M** 15-08-2018
LOT 20180915 **S** 15-08-2023

 Zhejiang Runqiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiaozhou District Jiaxing City,
Zhejiang Province,P.R.China
Tel: +86-573-88037135
Fax: +86-573-88110618


 Shanghai International Holding Corp.GmbH (Europe)
Eiffelstrasse 80,20537 Hamburg,GERMANY
Tel:+49-40-2513175 Fax:+49-40-255726

MADE IN CHINA

Вариант исполнения: Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объём 60 мл, скорость
инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CZ, REF 84853, LOT 20180915



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
 одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
 0,5 мл, отсрочка болюса 15 мин, объем 60 мл, скорость
 инфузии 0/5/10/15/20/25/30/35 мл/ч, тип СВИ-CZ, REF 84853, LOT 20180915 (блистер)



Помпа инфузионная эластомерная НАТАНА ГРУПП стерильная
одноразовая, непрерывная инфузия с регулируемой скоростью и болюсом объемом
0,5 мл, отсрочка болюса 15 мин, объем 60 мл,
скорость инфузии 0/5/10/15/20/25/30/35 мл/ч, тип CBI-CZ, REF 84853,
LOT 20180915 (маркировка стерильной упаковки)

Disposable infusion pump

Nominal volume: 60mL

Nominal flow rate: 0-5-10-15-20-25-30-35mL/hr

Residual volume: <10%

Bolus: 0.5mL/time/15min

- *This product is used for continuance minim infusion during clinical treatment.
- *Please read the instruction before use, for make sure patients security.
- *The period of validity for sterilization is two years.
- *Do not use it if the package is damaged.
- *Please stock the product in Shade and cool, dry and air place, and protection against moisture.
- *Before add medicine, please infuse the physiological brine needed for dilute the medicine, then add the medicine, for fear the un-diluted medicine flow into the pump pipeline.
- *Please infuse the stated dosage when use this product, do not over infuse, or it will effect the cure purpose.



STERILE EO



CE 0123

Type: CBI-CZ



84853



15-08-2018



20180915



15-08-2023



Zhejiang Runqiang Medical Instruments Co., Ltd.
No.618 Dade Road, Jiaxing Xiuzhou District Jiaxing City,
Zhejiang Province, P.R.China

Tel: +86-573-88037135

Fax: +86-573-88110618



Shanghai International Holding Corp.GmbH (Europe)

Eiffestrasse 80, 20537 Hamburg, GERMANY

Tel: +49-40-2513175 Fax: +49-40-255726

MADE IN CHINA

Пролито,
пронумеровано и
скреплено печатью

— () листов

