

vatech

ООО «ВАТЕК КОРП.»
117246, г. Москва,
Научный проезд, д. 17, стр. 1-2
тел.: + 7 (495) 967-90-55
info@vatechrussia.com
ИНН 7725284049 КПП 772801001

VATECH CORP., LLC
17, build. 1-2, Nauchny proezd,
Moscow, 117246
phone: + 7 (495) 967-90-55
info@vatechrussia.com
INN 7725284049 KPP 772801001

Фотографический файл

«Заготовки стоматологические из диоксида циркония для реставрации по технологии CAD/CAM с принадлежностями»

vatech
Perfit ZRTM



Model	Color	Size
ST	White	Ø98x12

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 12 white W Perfit ZR ST white $\phi 98 \times 12T$
1.2293(18.65%) LOT:1210601NUW0Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST white (98x12)

Model : NU 12 white W

Packing Unit : 1

LOT 1210601NUW0Y1

2021.06.01

REF T0101836

Scaling Factor : 1.2393(18.65%)

Vatech Perfit™


Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse



Vatechcucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea



Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France



Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (белый): NU 22 white W

vatech
Perfit ZR™



Model	Color	Size
ST	White	Ø98x22

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 22 white W Perfit ZR ST white $\phi 98 \times 22 \text{T}$
1.2293 (18.65%) LOT:1210601NUW0Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST White (98x22)

Model : NU 22 White W

Packing Unit : 1

LOT 1210601NUW0Y1

2021.06.01

REF T0101841

Scaling Factor : 1.2293(18.65%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea



Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Putaux, France



Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A1): NU 12 A1 W

vatech
Perfit ZR™



Model	Color	Size
ST	A1	Ø98x12

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 12 A1 W Peifil ZR ST A1 Ф98Х121
1.2307 (18.75%) LOT:1210601NUA1Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST A1 (98x12)

Model : NU 12 A1 W

Packing Unit : 1

LOT 1210601NUA1Y1

2021.06.01

REF T0101796

Scaling Factor : 1.2307(18.75%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use, Prohibit reuse

CE₁₆₃₉




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A1): NU 18 A1 W



NU 18 A1 W Perfil ZR ST A1 Ф98X18Г
1.2307 (18.75%) LOT:1210601NUA1Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST A1 (98x18)

Model : NU 18 A1 W

Packing Unit : 1

LOT 1210601NUA1Y1

2021.06.01

REF T0101799

Scaling Factor : 1.2307(18.75%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daeu, Idong-eup,
Cheon-gu, Yangin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A2): NU 12 A2 W

vatech
Perfit ZRTM



Model	Color	Size
ST	A2	Ø98x12

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 12 A2 W Perfil ZR ST A2 Ф98X12T
1.2317 (18.81%) LOT:1210602NUA2Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST A2 (98x12)

Model : NU 12 A2 W

Packing Unit : 1

LOT 1210602NUA2Y1

2021.06.02

REF T0101608

Scaling Factor : 1.2317(18.81%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639

 Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A2): NU 16 A2 W

vatech
Perfit ZRTM



Model	Color	Size
ST	A2	Ø98x16

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 16 A2 W Petit ZR ST A2 Φ98X16T
1.2317 (18.81%) LOT:1210602NUA2Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST A2 (98x16)

Model: NU 16 A2 W

Packing Unit: 1

LOT 1210602NUA2Y1

2021.06.02

REF T0101610

Scaling Factor: 1.2317(18.81%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-doero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A3): NU 10 A3 W

vatech
Perfit ZRTM



Model	Color	Size
ST	A3	Ø98x10

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 10 A3 W Petit ZR ST A3 Ф98X10T
1.2314 (18.79%) LOT:1210601NUA3Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST A3 (98x10)

Model : NU 10 A3 W

Packing Unit : 1

LOT 1210601NUA3Y1

2021.06.01

REF T0101806

Scaling Factor : 1.2314 (18.79%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulton 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A3): NU 18 A3 W



NU 18 A3 W Petit ZR ST A3 Ф98X18T
1.2314 (18.79%) LOT:1210601NUA3Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST A3 (98x18)

Model: NU 18 A3 W

Packing Unit: 1

LOT 1210601NUA3Y1

2021.06.01

REF T0101810

Scaling Factor: 1.2314(18.79%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A3.5): NU 14 A3.5 W



NU 14 A3.5 W Peltil ZR ST A3.5 Ф98Х14Т
1.2328 (18.88%) LOT:1210601NUA3.5Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST A3.5 (98x14)

Model: NU 14 A3.5 W

Packing Unit: 1

LOT 1210601NUA3.5Y1

2021.06.01

REF T0101885

Scaling Factor: 1.2328(18.88%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639

 Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок A3.5): NU 20 A3.5 W

vatech
Perfit ZR™



Model	Color	Size
ST	A3.5	Ø98x20

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 20 A3.5 W Perfil ZH ST A3.5 Ф98Х20Т
1.2328 (18.88%) LOT:1210601NUA3.5Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST A3.5 (98x20)

Model : NU 20 A3.5 W

Packing Unit : 1

LOT 1210601NUA3.5Y1

2021.06.01

REF T0101888

Scaling Factor : 1.2328(18.88%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use, Prohibit reuse

CE 1639



Vatech America, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок B1): NU 10 B1 W

vatech
Perfit ZR™



Model	Color	Size
ST	B1	Ø98x10

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 10 B1 W Petfil ZR ST B1 Φ98X101
1.2303 (18.72%) LOT:1210601NUB1Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST B1 (98x10)

Model: NU 10 B1 W

Packing Unit: 1

LOT 1210601NUB1Y1

 2021.06.01

REF

Scaling Factor: 1.2303(18.72%)

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок B1): NU 18 B1 W

vatech
Perfit ZRTM



Model	Color	Size
ST	B1	Ø98x18

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 18 B1 W Perfil ZA ST B1 Ф98X18Т
1.2303 (18.72%) LOT:1210601NUB1YI

CAD/CAM Zirconia Discs

Product : Perfit ZR ST B1 (98x18)

Model : NU 18 B1 W

Packing Unit : 1

LOT 1210601NUB1Y1

2021.06.01

REF

Scaling Factor : 1.2303(18.72%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок B2): NU 10 B2 W



NU 10 B2 W Perfil ZR ST B2 Ø98X10T
1.2307 (18.75%) LOT:1210601NUB2Y1

CAD/CAM Zirconia Discs

Product : Perfit ZR ST B2 (98x10)

Model : NU 10 B2 W

Packing Unit : 1

LOT 1210601NUB2Y1

2021.06.01

REF

Scaling Factor : 1.2307(18.75%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse.

CE₁₆₃₉



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/ предокрашенный, вариант исполнения: Perfit ZR ST (оттенок B2): NU 16 B2 W



NU 16 B2 W Perfit ZR ST B2 Φ 98X16T
1.2307 (18.75%) LOT:1210601NUB2Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST B2 (98x16)

Model: NU 16 B2 W

Packing Unit: 1

LOT 1210601NUB2Y1

2021.06.01

REF

Scaling Factor: 1.2307(18.75%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639

Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок D2): NU 10 D2 W



NU 10 D2 W Petit ZR ST D2 Φ98X101
1.2313 (18.79%) LOT:1210601NUD2Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST D2 (98x10)

Model: NU 10 D2 W

Packing Unit: 1

LOT 1210601NUD2Y1

2021.06.01

REF

Scaling Factor : 1.2313(18.79%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use, Prohibit reuse

CE 1639

 Vatechceram, Inc.
C-dong, 2544, Nambuk-dero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR ST (оттенок D2): NU 16 D2 W

vatech
Perfit ZR™



Model	Color	Size
ST	D2	Ø98x16

SUPER TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NU 16 D2 W Petfil ZR ST. D2 Ф98Х16Т
1.2313 (18.79%) LOT:1210601NUD2Y1

CAD/CAM Zirconia Discs

Product: Perfit ZR ST D2 (98x16)

Model: NU 16 D2 W

Packing Unit: 1

LOT 1210601NUD2Y1

 2021.06.01

REF

Scaling Factor: 1.2313(18.79%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (белый): NP 12 white W



NP 12 white W Petfil ZR HT white Φ98X121
1.2321 (18.84%) LOT:1210602NPW0Y2

CAD/CAM Zirconia Discs

Product: Perfit ZR HT White (98x12)

Model: NP 12 White W

Packing Unit: 1

LOT 1210602NPW0Y2

2021.06.02

REF T0101786

Scaling Factor: 1.2321(18.84%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatech America, Inc.
C-dong, 2544, Nambuk-daero, Dong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (белый): NP 18 white W

vatech
Perfit ZR™



Model	Color	Size
HT	White	Ø98x18

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 18 white W Perfit ZR HT white φ98X18T
1.2321 (18.84%) LOT:1210602NPW0Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT White (98x18)

Model : NP 18 White W

Packing Unit : 1

LOT 1210602NPW0Y2

 2021.06.02

REF T0101789

Scaling Factor : 1.2321(18.84%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639



Vatech America, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A1): NP 10 A1 W



vatech

Perfit ZR™



Model	Color	Size
HT	A1	Ø98x10

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 10 A1 W Perfil ZR HT A1 Ф98X10T
1.2308 (18.76%) LOT:1210602NPA1Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT A1 (98x10)

Model : NP 10 A1 W

Packing Unit : 1

LOT 1210602NPA1Y2

 2021.06.02

REF T0101766

Scaling Factor : 1.2308(18.76%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-dae-ro, Dong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51-Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A1): NP 16 A1 W



NP 16 A1 W Petit ZR HT A1 Φ 98X161
1.2308 (18.76%) LOT:1210602NPA1Y2

CAD/CAM Zirconia Discs

Product: Perfit ZR HT A1 (98x16)

Model: NP 16 A1 W

Packing Unit: 1

LOT 1210602NPA1Y2

 2021.06.02

REF T0101769

Scaling Factor: 1.2308 (18.76%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A2): NP 14 A2 W



Model	Color	Size
HT	A2	Ø98x14

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 14 A2 W Perfil ZR HT A2 Ø98X14T
1.2315 (18.80%) LOT:1210602NPA2Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT A2 (98x14)

Model : NP 14 A2 W

Packing Unit : 1

LOT 1210602NPA2Y2

2021.06.02

REF T0101604

Scaling Factor : 1.2315(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulton 92800 Putaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A2): NP 18 A2 W



NP 18 A2 W Perfil ZR HT A2 Ø98X18T
1.2315 (18,80%) LOT:1210602NPA2Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT A2 (98x18)

Model : NP 18 A2 W

Packing Unit : 1

LOT 1210602NPA2Y2

2021.06.02

REF T0101606

Scaling Factor : 1.2315(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-dae-ro, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A3): NP 12 A3 W

vatech
Perfit ZR™



Model	Color	Size
HT	A3	Ø98x12

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 12 A3 W Peilil ZR HT A3 Ф98Х121
1.2327 (18.88%) LOT:1210602NPA3Y2

vatech accurera

CAD/CAM Zirconia Discs

Product: Perfit ZR HT A3 (98x12)

Model: NP 12 A3 W

Packing Unit: 1

LOT 1210602NPA3Y2

2021.06.02

REF T0101778

Scaling Factor: 1.2327(18.88%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacera, Inc.
G-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yangju-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A3): NP 18 A3 W



NP 18 A3 W Petit ZR HT A3 Ø98X18T
1.2327 (18.88%) LOT:1210602NPA3Y2

CAD/CAM Zirconia Discs

Product: Perfit ZR HT A3 (98x18)

Model: NP 18 A3 W

Packing Unit: 1

LOT 1210602NPA3Y2

2021.06.02

REF T0101781

Scaling Factor: 1.2327(18.88%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Choin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок A3.5): NP 12 A3.5 W

vatech
Perfit ZR™



Model	Color	Size
HT	A3.5	Ø98x12

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



№ 12 АЗ.5 W Petit ZR HT АЗ.5 Ф98Х121
1.2300 (18.70%) LOT:1210602NPA3.5Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT A3.5 (98x12)

Model : NP 12 A3.5 W

Packing Unit : 1

LOT 1210602NPA3.5Y2

 2021.06.02

REF

Scaling Factor : 1.2300(18.70%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE
1639



Vatechscucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Putteux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT
(оттенок A3.5): NP 20 A3.5 W

vatech
Perfit ZR™



Model	Color	Size
HT	A3.5	Ø98x20

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 20 A3.5 W Perfil ZPA HT A3.5 Ф98Х20Т
1.2300 (18.70%) LOT:1210602NPA3.5Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT A3.5 (98x20)

Model : NP 20 A3.5 W

Packing Unit : 1

LOT 1210602NPA3.5Y2

 2021.06.02

REF

Scaling Factor : 1.2300(18.70%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

 1639

 Vatechacucera, Inc.
C-dong, 254A, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulon 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок B1): NP 12 B1 W



NP 12 B1 W Perfil ZR HT B1 Ф98X12T
1.2338 (18.95%) LOT:1210602NPB1Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT B1 (98x12)

Model : NP 12 B1 W

Packing Unit : 1

LOT 1210602NPB1Y2

2021.06.02

REF

Scaling Factor : 1.2338(18.95%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE₁₆₃₉



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheon-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок B1): NP 25 B1 W

vatech
Perfit ZR™



Model	Color	Size
HT	B1	Ø98x25

HIGH TRANSLUCENT
DANTAL ZIRCONIA



NP 25 B1 W Petitil ZR HT B1 Φ98X25T
1.2338 (18.95%) LOT:1210602NP81Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT B1 (98x25)

Model : NP 25 B1 W

Packing Unit : 1

LOT 1210602NPB1Y2

2021.06.02

REF

Scaling Factor : 1.2338(18.95%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU.

 This Medical device is for single use. Prohibit reuse.

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок B2); NP 10 B2 W



NP 10 B2 W Perfit ZR HT B2 Φ 98X10T
1.2334 (18.93%) LOT:1210602NPB2Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT B2 (98x10)

Model : NP 10 B2 W

Packing Unit : 1

LOT 1210602NPB2Y2

2021.06.02

REF

Scaling Factor : 1.2334(18.93%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639

Vatech Co., Ltd.
G-dong, 2544, Nambuk-daero, Dong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок B2): NP 18 B2 W

vatech
Perfit ZR™



Model	Color	Size
HT	B2	Ø98x18

HIGH TRANSLUCENT
DANTAL ZIRCONIA

CE 1639



NP 18 B2 W Petitil ZR HT B2 Φ98X181
1.2334 (18.93%) LOT:1210602NPB2Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT B2 (98x18)

Model : NP 18 B2 W

Packing Unit : 1

LOT 1210602NPB2Y2

 2021.06.02

REF

Scaling Factor : 1.2334(18.93%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daem, Dong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок D2): NP 10 D2 W



NP 10 D2 W Perfil ZR HT D2 Ф98X10T
1.2306 (18.74%) LOT:1210602NPD2Y2

CAD/CAM Zirconia Discs

Product : Perfit ZR HT D2 (98x10)

Model : NP 10 D2 W

Packing Unit : 1

LOT 1210602NPD2Y2

 2021.06.02

REF

Scaling Factor : 1.2306 (18.74%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Chaein-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Putteux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR HT (оттенок D2): NP 14 D2 W



NP 14 D2 W Perfit ZR HT D2 Ф98X14T
1.2306 (18.74%) LOT:1210602NPD2Y2

CAD/CAM Zirconia Discs

Product: Perfit ZR HT D2 (98x14)

Model: NP 14 D2 W

Packing Unit: 1

LOT 1210602NPD2Y2

2021.06.02

REF

Scaling Factor: 1.2306(18.74%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/ предокрашенный, вариант исполнения: Perfit ZR UT (белый): NA 12 white W



NA 12 White W Perfit ZR UT Φ 98X12T
1.2343(18.98%) LOT:1210602NAW0Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT White (98x12)

Model : NA 12 White W

Packing Unit : 1

LOT 1210602NAW0Y3

2021.06.02

REF

Scaling Factor : 1.2343(18.98%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use, Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (белый): NA 20 white W

vatech
Perfit ZR™



Model	Color	Size
UT	White	Ø98x20

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 20 White W
1.2343(18.98%)

Perfil ZR UT φ98X20T
LOT:1210602NAW0Y3

CAD/CAM Zirconia Discs

Product: Perfit ZR UT White (98x20)

Model: NA 20 White W

Packing Unit: 1

LOT 1210602NAW0Y3

 2021.06.02

REF

Scaling Factor: 1.2343(18.98%)

Vatech Perfit™

Intended Use: Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution: Refer the IFU

 This Medical device is for single use. Prohibit reuse.

CE 1639



Vatechceram, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A1): NA 12 A1 W

vatech
Perfit ZR™



Model	Color	Size
UT	A1	Ø98x12

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 12 A1 W Petit ZR UT Φ98X121
1.2326(18.87%) LOT:1210602NAA1Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A1 (98x12)

Model : NA 12 A1 W

Packing Unit : 1

LOT 1210602NAA1Y3

2021.06.02

REF

Scaling Factor : 1.2326(18.87%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-doro, Idong-eup,
Cheon-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A1): NA 20 A1 W

vatech
Perfit ZR™



Model	Color	Size
UT	A1	Ø98x20

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 20 A1 W
Pefit ZR UT Φ98X20T
1.2326(18.87%)
LOT:1210602NAA1Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A1 (98x20)

Model : NA 20 A1 W

Packing Unit : 1

LOT 1210602NAA1Y3

2021.06.02

REF

Scaling Factor : 1.2326(18.87%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU


⚠ This Medical device is for single use. Prohibit reuse

CE 1639

Vatechzucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France



vatech


ООО «ВАТЕК КОРП.»
117246, г. Москва,
Научный проезд, д. 17, стр. 1-2
тел.: + 7 (495) 967-90-55
info@vatechrussia.com
ИНН 7725284049 КПП 772801001

VATECH CORP., LLC
17, build. 1-2, Nauchny proezd,
Moscow, 117246
phone: + 7 (495) 967-90-55
info@vatechrussia.com
INN 7725284049 KPP 772801001

Фотографический файл

«Заготовки стоматологические из диоксида циркония для реставрации по технологии CAD/CAM с принадлежностями»

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A2): NA 10 A2 W



Model	Color	Size
UT	A2	Ø98x10

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 10 A2 W Perfit ZR UT Φ 98X10T
1.2309(18.76%) LOT:1210602NAA2Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A2 (98x10)

Model : NA 10 A2 W

Packing Unit : 1

LOT 1210602NAA2Y3

2021.06.02

REF

Scaling Factor : 1.2308(18.76%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE 1639

Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yangju-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A2): NA 25 A2 W

vatech
Perfit ZR™



Model	Color	Size
UT	A2	Ø98x25

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 25 A2 W Perfil ZR UT ϕ 98X25T
1.2309(18.76%) LOT:1210602NAA2Y3

CAD/CAM Zirconia Discs

Product: Perfit ZR UT A2 (98x25)

Model: NA 25 A2 W

Packing Unit: 1

LOT 1210602NAA2Y3

 2021.06.02

REF

Scaling Factor : 1.2309(18.76%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE
1639




Vatechceram, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Chosin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A3): NA 12 A3 W



NA 12 A3 W Petit ZR UT Φ98X121
1.2303(18.72%) LOT:1210602NAA3Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A3 (98x12)

Model : NA 12 A3 W

Packing Unit : 1

LOT 1210602NAA3Y3

 2021.06.02

REF

Scaling Factor : 1.2303(18.72%)

Vatech Perfit™

Intended Use : Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution : Refer the IFU

 This Medical device is for single use. Prohibit reuse

 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-dae-ro, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A3): NA 22 A3 W

vatech
Perfit ZR™



Model	Color	Size
UT	A3	Ø98x22

ULTRA TRANSLUCENT
DENTAL ZIRCONIA



NA 22 A3 W Perfit ZR UT Φ 98X22T
1.2303(18.72%) LOT:1210602NAA3Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A3 (98x22)

Model : NA 22 A3 W

Packing Unit : 1

LOT 1210602NAA3Y3

2021.06.02

REF

Scaling Factor : 1.2303(18.72%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉



Vatechacera, Inc.
C-dong, 2544, Nambuk-doro, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A3.5): NA 12 A3.5 W

vatech
Perfit ZR™



Model	Color	Size
UT	A3.5	Ø98x12

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 12 A3.5 W
1.2309(18.76%)

Perfit ZR UT Φ 98X12T
LOT:1210602NAA3.5Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A3.5 (98x12)

Model : NA 12 A3.5 W

Packing Unit : 1

LOT 1210602NAA3.5Y3

2021.06.02

REF

Scaling Factor : 1.2309 (18.76%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок A3.5): NA 25 A3.5 W



NA 25 A3.5 W Perfit ZR UT Ø98X25T
1.2309(18.76%) LOT:1210602NAA3.5Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT A3.5 (98x25)

Model : NA 25 A3.5 W

Packing Unit : 1

LOT 1210602NAA3.5Y3

2021.06.02

REF

Scaling Factor : 1.2309(18.76%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheon-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок B1): NA 10 B1 W



NA 10 B1 W Perfil ZR UT Ф98X10T
1.2316(18.81%) LOT:1210602NAB1Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT B1 (98x10)

Model : NA 10 B1 W

Packing Unit : 1

LOT 1210602NAB1Y3

 2021.06.02

REF

Scaling Factor : 1.2316(18.81%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉

 **Vatechacucera, Inc.**
C-dong, 2544, Nambuk-dero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulon 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок B1): NA 20 B1 W

vatech
Perfit ZR™



Model	Color	Size
UT	B1	Ø98x20

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 20 B1 W
1.2316(18.81%)

Perfil ZR UT Φ 98X20T
LOT:1210602NAB1Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT B1 (98x20)

Model : NA 20 B1 W

Packing Unit : 1

LOT 1210602NAB1Y3

 2021.06.02

REF

Scaling Factor : 1.2316(18.81%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок B2): NA 14 B2 W

vatech
Perfit ZR™



Model	Color	Size
UT	B2	Ø98x14

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 14 B2 W Petit ZR UT φ98X14T
1.2326(18.87%) LOT:1210602NAB2Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT B2 (98x14)

Model : NA 14 B2 W

Packing Unit : 1

LOT 1210602NAB2Y3

2021.06.02

REF

Scaling Factor : 1.2326(18.87%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatech-zucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок B2): NA 22 B2 W



NA 22 B2 W Perfit ZR UT ϕ 98X22T
1.2326(18.87%) LOT:1210602NAB2Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT B2 (98x22)

Model : NA 22 B2 W

Packing Unit : 1

LOT 1210602NAB2Y3

 2021.06.02

REF

Scaling Factor : 1.2326(18.87%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE₁₆₃₉



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Chaein-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок D2): NA 10 D2 W



NA 10 D2 W Perfit ZR UT Φ 98X10T
1.2315(18.80%) LOT:1210602NAD2Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT D2 (98x10)

Model : NA 10 D2 W

Packing Unit : 1

LOT 1210602NAD2Y3

 2021.06.02

REF

Scaling Factor : 1.2315(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulton 92800 Puteaux, France

Диск из диоксида циркония Perfit ZR белый/предокрашенный, вариант исполнения: Perfit ZR UT (оттенок D2): NA 25 D2 W

vatech
Perfit ZRTM



Model	Color	Size
UT	D2	Ø98x25

ULTRA TRANSLUCENT
DENTAL ZIRCONIA

CE 1639



NA 25 D2 W
1.2315(18.80%)

Perfit ZR UT Φ 98X25T
LOT:1210602NAD2Y3

CAD/CAM Zirconia Discs

Product : Perfit ZR UT D2 (98x25)

Model : NA 25 D2 W

Packing Unit : 1

LOT 1210602NAD2Y3

 2021.06.02

REF

Scaling Factor : 1.2315(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A1): NU 16 A1SM W



NU 16 A1SM W Perfil ZR STML(A1) Ø98X16T
1.2276 (18.54%) LOT: 1210603NAA1SMY4

CAD/CAM Zirconia Discs

Product : NU ST-ML A1 (98x16)

Model : NU STML 16 A1 W

Packing Unit : 1

LOT 1210603NAA1SMY4

 2021.06.03

REF

Scaling Factor : 1.2276(18.54%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatech America, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A1): NU 25 A1SM W

vatech
Perfit ZRTM



Model	Color	Size
STML	Multi A1	Ø98x25

SUPER TRANSLUCENT MULTILAYER
DENTAL ZIRCONIA

CE 0123



NU 25 A1SM W Perfit ZR STML(A1) Φ 98X25T
1.2276 (18.54%) LOT: 1210603NAA1SMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR STML A1 (98x25)

Model : NU 25 STML(A1) W

Packing Unit : 1

LOT 1210603NAA1SMY4

 2021.06.03

REF

Scaling Factor : 1.2276(18.54%)



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE₁₆₃₉

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A2): NU 14 A2SM W

vatech
Perfit ZRTM



Model	Color	Size
STML	Multi A2	Ø98x14

SUPER TRANSLUCENT MULTILAYER
DENTAL ZIRCONIA

CE 0123



NU 14 A2SM W Petit ZR STML(A2) Φ98X14T
1.2315 (18.80%) LOT: 1210603NAA2SMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR STML A2 (98x14)

Model : NU 14 STML (A2) W

Packing Unit : 1

LOT 1210603NAA2SMY4

 2021.06.03

REF T0101844

Scaling Factor : 1.2315 (18.97%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A2): NU 25 A2SM W

vatech
Perfit ZRTM



Model	Color	Size
STML	Multi A2	Ø98x25

SUPER TRANSLUCENT MULTILAYER
DENTAL ZIRCONIA

CE 0123



NU 25 A2SM W Perfit ZR STML(A2) Φ 98X25T
1.2315 (18.80%) LOT: 1210603NAA2SMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR STML A2 (98x25)

Model : NU 25 STML (A2) W

Packing Unit : 1

LOT 1210603NAA2SMY4

 2021.06.03

REF T0101849

Scaling Factor : 1.2315(18.80%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A3): NU 16 A3SM W

vatech
Perfit ZRTM



Model	Color	Size
STML	Multi A3	Ø98x16

SUPER TRANSLUCENT MULTILAYER
DENTAL ZIRCONIA

CE 0123



NU 16 A3SM W Perfit ZR STML(A3) Φ 98X16T
1.2309 (18.76%) LOT: 1210603NAA3SMY4

CAD/CAM Zirconia Discs

Product: Perfit ZR STML A3 (98x16)

Model: NU 16 STML (A3) W

Packing Unit: 1

LOT 1210603NAA3SMY4

 2021.06.03

REF T0101852

Scaling Factor : 1.2309(18.76%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE₁₆₃₉



Vatechacera, Inc.
C-dong, 2544, Nambuk-dbero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A3): NU 22 A3SM W



NU 22 A3SM W Perfit ZR STML(A3) Φ 98X22T
1.2309 (18.76%) LOT: 1210603NAA3SMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR STML A3 (98x22)

Model : NU 22 STML (A3) W

Packing Unit : 1

LOT 1210603NAA3SMY4


 2021.06.03

REF T0101826

Scaling Factor : 1.2309 (18.76%)



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea




Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse



Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A3.5): NU 14 A3.5SM W



NU 14 A3.5SM W Perfil ZR STML(A3.5) Ø98X14T
1.2307 (18.75%) LOT: 1210603NAA3.5SMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR STML A3.5 (98x14)

Model : NU 14 STML (A3.5) W

Packing Unit : 1

LOT 1210603NAA3.5SMY4

 2021.06.03

REF T0101858

Scaling Factor : 1.2307(18.75%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.


Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea



Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR STML (оттенок A3.5): NU 22 A3.5SM W



NU 22 A3.5SM W Perfil ZR STML(A3.5) Ø98X22T
1.2307 (18.75%) LOT: 1210603NAA3.5SMY4

CAD/CAM Zirconia Discs

Product: Perfit ZR STML A3.5 (98x22)

Model: NU 22 STML (A3.5) W

Packing Unit: 1

LOT 1210603NAA3.5SMY4

2021.06.03

REF T0101833

Scaling Factor: 1.2307(18.75%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639

 Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A1): NU 16 A1TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A1	Ø98x16

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 16 A1TM W Perfit ZR TSML A1 Φ 98X16T
1.2324 (18.86%) LOT: 1210603NAA1TMY4

CAD/CAM Zirconia Discs

Product: Perfit ZR TSML A1 (98x16)

Model: NU 16 TSML(A1) W

Packing Unit: 1

LOT 1210603NAA1TMY4

 2021.06.03

REF

Scaling Factor: 1.2324 (18.85%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A1); NU 25 A1TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A1	Ø98x25

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 25 A1TM W Perfit ZR TSML A1 Φ 98X25T
1.2324 (18.86%) LOT: 1210603NAA1TMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR TSML A1 (98x25)

Model : NU 25 TSML (A1) W

Packing Unit : 1

LOT 1210603NAA1TMY4

 2021.06.03

REF

Scaling Factor : 1.2324 (18.86%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A2): NU 16 A2TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A2	Ø98x16

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 16 A2TM W Perfit ZR TSML A2 ф98X16T
1.2316 (18.80%) LOT: 1210603NAA2TMY4

CAD/CAM Zirconia Discs

Product : NU TS-ML A2 (98x16)

Model : NU TSML 16 A2 W

Packing Unit : 1

LOT 1210603NUA2TMY4

2021.06.03

REF T0101816

Scaling Factor : 1.2316(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

⚠ This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-doro, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A2): NU 20 A2TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A2	Ø98x20

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 20 A2TM W Perfit ZR TSM L A2 Ø98X20T
1.2316 (18.80%) LOT: 1210603NAA2TMY4

CAD/CAM Zirconia Discs

Product : NU TS-ML A2 (98x20)

Model : NU TSML 20 A2 W

Packing Unit : 1

LOT 1210603NAA2TMY4

 2021.06.03

REF

Scaling Factor : 1.2316(18.80%)

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639



Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A3): NU 14 A3TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A3	Ø98x14

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 14 A3TM W Perfit ZR TSML A3 Φ 98X14T
1.2309 (18.76%) LOT: 1210603NAA3TMY4

CAD/CAM Zirconia Discs

Product: Perfit ZR TSML A3 (98x14)

Model: NU 14 TSML(A3) W

Packing Unit: 1

LOT 1210603NAA3TMY4

2021.06.03

REF T0101822

Scaling Factor: 1.2309(18.76%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yangju-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulon 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A3): NU 25 A3TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A3	Ø98x25

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 25 A3TM W Perfit ZR TSML A3 $\Phi 98 \times 25T$
1.2309 (18.76%) LOT: 1210603NAA3TMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR TSML A3 (98x25)

Model : NU 25 TSML (A3) W

Packing Unit : 1

LOT 1210603NAA3TMY4

 2021.06.03

REF T0101827

Scaling Factor : 1.2309(18.76%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639



Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulon 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A3.5): NU 16 A3.5TM W

vatech
Perfit ZR™



Model	Color	Size
TSML	Multi A3.5	Ø98x16

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 16 A3.5TM W Perfil ZR TSML A3.5 Ø98X16T
1.2382 (18.58%) LOT: 1210603NAA3.5TMY4

CAD/CAM Zirconia Discs

Product: Perfit ZR TSML A3.5 (98x16)

Model: NU 16 TSML (A3.5) W

Packing Unit: 1

LOT 1210603NAA3.5TMY4

2021.06.03

REF T0101830

Scaling Factor: 1.0552 (10.000%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Диск многослойный из диоксида циркония Perfit ZR, вариант исполнения: Perfit ZR TSML (оттенок A3.5): NU 25 A3.5TM W

vatech
Perfit ZRTM



Model	Color	Size
TSML	Multi A3.5	Ø98x25

TRANSLUCENT & SHADE MULTIAYER
DENTAL ZIRCONIA

CE 1639



NU 25 A3.5TM W Perfil ZR TSML A3.5 Ø98X25T
1.2382 (18.58%) LOT: 1210603NAA3.5TMY4

CAD/CAM Zirconia Discs

Product : Perfit ZR TSML A3.5 (98x25)

Model : NU 25 TSML (A3.5) W

Packing Unit : 1

LOT 1210603NAA3.5TMY4

 2021.06.03

REF T0101834

Scaling Factor : 1.2382(18.58%)

Vatech Classic

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

This Medical device is for single use. Prohibit reuse


CE 1639

 Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (белый): FH I12 white



CAD/CAM Zirconia Discs

Product name : Perfit FS I12 White

Model name : FH I12 White

Packing unit : 3ea

LOT 1210705FH1W0K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (белый): FH B32 white



CAD/CAM Zirconia Discs

Product name : Perfit FS B32 White

Model name : FH B32 White

Packing unit : 3ea

LOT 1210705FH4W0K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A1): FH C14 A1



CAD/CAM Zirconia Discs

Product name : Perfit FS C14 A1

Model name : FH C14 A1

Packing unit : 3ea

LOT 1210705FH2A1K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A1): FH C16 A1



CAD/CAM Zirconia Discs

Product name: Perfit FS C16 A1

Model name: FH C16 A1

Packing unit: 3ea

LOT 1210705FH3A1K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A2): FH I12 A2



CAD/CAM Zirconia Discs

Product name : Perfit FS I12 A2

Model name : FH I12 A2

Packing unit : 3ea

LOT 1210705FH1A2K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE
1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A2): FH B32 A2



CAD/CAM Zirconia Discs

Product name : Perfit FS B32 A2¹

Model name : FH B32 A2

Packing unit : 3ea

LOT 1210705FH4A2K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheon-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок А3): FH C14 A3



CAD/CAM Zirconia Discs

Product name: Perfit FS C14 A3

Model name: FH C14 A3

Packing unit: 3ea

LOT 1210705FH2A3K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A3): FH C16 A3



CAD/CAM Zirconia Discs

Product name: Perfit FS C16 A3

Model name: FH C16 A3

Packing unit: 3ea

LOT 1210705FH3A3K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Bouton 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A3.5): FH C14 A3.5



CAD/CAM Zirconia Discs

Product name: Perfit FS C14 A3.5

Model name: FH C14 A3.5

Packing unit: 3ea

LOT 1210705FH2A3.5K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulon 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок A3.5): FH C16 A3.5



CAD/CAM Zirconia Discs

Product name : Perfit FS C16 A3.5

Model name : FH C16 A3.5

Packing unit : 3ea

LOT 1210705FH3A3.5K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок B2): FH I12 B2



CAD/CAM Zirconia Discs

Product name : Perfit FS I12 B2

Model name : FH I12 B2

Packing unit : 3ea

LOT 1210705FH1B2K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS белый/ предокрашенный на держателе, вариант исполнения: Perfit FS (оттенок B2): FH B32 B2



CAD/CAM Zirconia Discs

Product name : Perfit FS B32 B2

Model name : FH B32 B2

Packing unit : 3ea

LOT 1210705FH4B2K

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок A1): FH B32 A1M



CAD/CAM Zirconia Discs

Product name : Perfit FS B32 A1ML

Model name : FH B32 A1ML

Packing unit : 3ea

LOT 1210705FH4A1MK

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок A2M): FH C14 A2M



CAD/CAM Zirconia Discs

Product name : Perfit FS C14 A2ML

Model name : FH C14 A2ML

Packing unit : 3ea

LOT 1210705FH2A2MK

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок A2): FH C16 A2M



CAD/CAM Zirconia Discs

Product name : Perfit FS C16 A2ML

Model name : FH C16 A2ML

Packing unit : 3ea

LOT 1210705FH3A2MK

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE₁₆₃₉




Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок А3): FH B32 A3M



CAD/CAM Zirconia Discs

Product name : Perfit FS B32 A3ML

Model name : FH B32 A3ML

Packing unit : 3ea

LOT 1210705FH4A3MK

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use, Prohibit reuse

CE₁₆₃₉




Vatechacucera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок A3.5): FH C14 A3.5M



CAD/CAM Zirconia Discs

Product name: Perfit FS C14 A3.5ML

Model name: FH C14 A3.5ML

Packing unit: 3ea

LOT 1210705FH2A3.5MK

 2021.07.05

REF

Scaling Factor: None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU

 This Medical device is for single use. Prohibit reuse

CE 1639




Vatechacucera, Inc.
C-dong, 2544, Nambuk-dae-ro, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea

EC **REC**

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France

Блок из диоксида циркония Perfit FS многослойный на держателе, вариант исполнения: Perfit FS Multi Layer (оттенок A3.5): FH C16 A3.5M



CAD/CAM Zirconia Discs

Product name : Perfit FS C16 A3.5ML

Model name : FH C16 A3.5ML

Packing unit : 3ea

LOT 1210705FH3A3.5MK

 2021.07.05

REF

Scaling Factor : None

Vatech Perfit™

Intended Use Designed by professional dental technicians to create custom all-ceramic restorations. Use in CAD/CAM milling systems to make dental restorations such as crowns and bridges. It can be used to create anterior and posterior dental restorations.

Storage Usage / Caution Refer the IFU


 This Medical device is for single use. Prohibit reuse


CE₁₆₃₉

 Vatechacera, Inc.
C-dong, 2544, Nambuk-daero, Idong-eup,
Cheoin-gu, Yongin-si, Gyeonggi-do, Korea


EC REC

Vatech France
Floor 4, 51 Quai de Dion
Boulogne 92800 Puteaux, France












Vatechacucera, Inc.

04.07.2022


1210705QA2













Пронумеровано, прошито и

скреплено печатью на 137

_____ листах

